The Ouellet-Robert Entomological Collection: new electronic resources and perspectives

Colin Favret¹ ⁽⁰⁾, Étienne Normandin, and Louise Cloutier

Abstract—The Ouellet-Robert Entomological Collection (Université de Montréal, Montréal, Québec, Canada) is one of the largest and most important university collections in Canada. Although officially dedicated in 1984, much of the material in the collection dates to the 1930s and 1940s work of the Clerics of Saint Viator, Joseph Ouellet and Adrien Robert. In order to establish curatorial priorities, a collection profile was conducted grading eight criteria on a scale of 1–4, the most important being the conservation status of the specimens. A taxonomic inventory of the collection was also conducted, including the number of pinned specimens and alcohol vials, as well as a brief geographic description: whether or not at least one specimen of each species was collected in Québec or in North America. Finally, the specimen metadata for Odonata, Ephemeroptera, and Trichoptera were digitised. The inventory and specimen data can be downloaded at Canadensys.net. The collection houses approximately 1.5 million specimens, of which one-third are pinned, representing 20 000 species. Half of those species are recorded from Québec. The inventory and profile will be updated and the specimen database grown as portions of the collection are re-curated by personnel and volunteers, including the student-run organisation, "Club QMOR".

Résumé—La Collection entomologique Ouellet-Robert (Université de Montréal, Montréal, Québec, Canada) est une des collections universitaires les plus importantes au Canada. Bien que dédiée en 1984, elle héberge beaucoup de matériel qui date des travaux des Clercs de Saint-Viateur, les frères Joseph Ouellet et Adrien Robert. Pour établir des priorités de conservation, un profil de la collection a été établi en évaluant huit critères sur une échelle de 1 à 4, le critère le plus important étant le statut de conservation des spécimens. Un inventaire taxonomique de la collection a été récemment effectué, incluant les nombres de spécimens épinglés et de fioles de spécimens conservés en alcool. Une brève description de la provenance géographique des spécimens, si au moins un spécimen a été collecté au Québec ou en Amérique du Nord, a également été ajoutée. Finalement, les métadonnées des spécimens d'Odonates, d'Éphéméroptères, et de Trichoptères ont été numérisées. L'inventaire et les données des spécimens peuvent être téléchargés à partir du site Canadensys.net. La collection héberge environ 1,5 million de spécimens, dont un tiers sont épinglés, représentant 20 000 espèces. La moitié de ces espèces a été récoltée au Québec. L'inventaire et le profil seront mis à jour et la base de données des spécimens agrandie au fur et à mesure que les différents éléments de la collection seront remaniés par le personnel et les bénévoles de la collection, y compris l'organisation étudiante, « le Club QMOR ».

Introduction

There are over 60 entomological collections in Canada (Evenhuis 2018), but only a handful would be considered large, holding more than a million specimens. One of these, the Ouellet-Robert Entomological Collection (QMOR) (Université de Montréal, Montréal, Québec, Canada), is arguably the most important collection of Québec insects in Canada. The entomological collection got its formal start in 1965 when, following the untimely death of Adrien Robert (1906–1964) (Leroux 1964), the head of the Department of Biological Sciences at the time

Received 31 August 2018. Accepted 11 March 2019. First published online 19 June 2019.

C. Favret,¹ Étienne Normandin, L. Cloutier, Département de sciences biologiques, Université de Montréal, Montréal, Québec, H1X 2B2, Canada

¹Corresponding author (e-mail: ColinFavret@AphidNet.org) Subject editor: Derek Sikes doi:10.4039/tce.2019.34

Can. Entomol. **151:** 423–431 (2019) © Entomological Society of Canada 2019 Downloaded from https://www.cambridge.org/core. Montpellier SupAgro, on 23 Jul 2019 at 12:20:47, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.4039/tce.2019.34 (Pierre Couillard) negotiated with the Clerics of Saint Viator for the donation of the personal collections of Robert and Joseph Ouellet (1869-1952) (Robert 1952). It was as teachers at the Saint Viator Catholic Institution des Sourds-Muets (Institute of the Deaf and Dumb) that Ouellet had transmitted his passion for insects to the younger Robert, who later (1953) received a Ph.D. at the Université de Montréal studying the scolytid beetle (Coleoptera: Curculionidae: Scolytinae) vectors of Dutch elm disease (Ophiostoma Sydow and Sydow (Fungi: Ophiostomataceae)). Both entomologists had their own personal collections and had prepared teaching and reference collections on behalf of multiple other institutions (e.g., among others, Institution des Sourds-Muets and Collège Bourget in the case of Ouellet, and the Mont-Tremblant Biological Station in the case of Robert). It became the responsibility of Monique Coulloudon, first assistant to Robert and later entomological collection manager from 1965 to the mid-1980s, to integrate the various collections into a cohesive whole that would formally be named in honour of Ouellet and Robert in 1984.

Ouellet's contributions of some 250 000 specimens (Bonneau 1999) were of all insect orders, but especially Diptera. He had collaborated and taught with the Université de Montréal's first entomologist, Gustave Chagnon (1871-1966) (Jean 2009), whose collection was not left with his employer but is today found at Laval University (Ville de Québec, Québec, Canada). Ouellet published several articles on Québec Diptera, including the addition of many new records for the province (Ouellet 1941). Robert was particularly keen on Coleoptera, especially Staphylinidae, and Odonata, publishing books on both orders (Chagnon and Robert 1962; Robert 1963). Robert's already substantial Odonata collection was increased by his entomologist successor and interim collection curator from 1965–1971, Jean-Guy Pilon (Harper 1999), who published extensively on Québec Odonata (e.g., Pilon and Lagacé 1998). Pierre-Paul Harper was hired in 1971 as professor and collection curator. Harper's work focussed on aquatic insects in general, but especially on Ephemeroptera, Plecoptera, and Trichoptera, and was supported in great measure by Louise Cloutier, expert in Chironomidae and manager of the Ouellet-Robert Entomological Collection from 1989–2015 (*e.g.*, Harper and Cloutier 1986); Harper retired in 2004 (de Oliveira 2008), Cloutier in 2015. Étienne Normandin replaced Cloutier that same year, but the Ouellet-Robert Entomological Collection was without an official curator until the arrival of Colin Favret in 2012.

In addition to the aforementioned collectors and their respective taxa, Laurent Lesage contributed many insects, especially Elmidae (Coleoptera) (Lesage and Harper 1976); Harper's limnologist Ph.D. advisor Noel Hynes (Hynes 1971, 1976) contributed an international collection of Plecoptera; Yvon Dulude donated a collection of Québec Ephemeroptera (Dulude 1992). Apart from these taxonomic strengths, the Ouellet-Robert Entomological Collection is also the repository of collections from the 1970s environmental assessments for hydroelectric projects in the Baie-James region of Québec (Hayeur 2001), representing unique spatial and temporal series from the relatively poorly sampled subarctic. The Ouellet-Robert Entomological Collection also holds collections from around the Hochelaga Archipelago from the Projet Archipel, an ambitious and unrealised plan from the early 1980s to manage the waters surrounding the islands of the Montréal region, including building a hydroelectric dam in the Lachine Rapids (Duhaime 1997). Many smaller donated collections, taxonomic and regional in scope, flesh out the remainder of the Ouellet-Robert Entomological Collection holdings.

The primary type collection is small, consisting of one Ouellet (Empis latrappensis Ouellet (Diptera: Empididae)), one Robert (Somatochlora brevicincta Robert (Odonata: Corduliidae)), and 18 Harper species (Hemerodromia chilcotti Harper and H. fibrina Landry and Harper (Diptera: Empididae); Rheotanytarsus magnini Cloutier and Harper (Diptera: Chironomidae); Paraleptophlebia aquilina Harper and Harper (Ephemeroptera: Leptophlebiidae); Alloperla acadiana Harper and Utaperla gaspesiana Harper and Roy (Plecoptera: Chloroperlidae); Mortoniella quinuas Harper and Turcotte (Trichoptera: Glossossomatidae); Goera radissonica Harper and Méthot (Trichoptera: Goeridae); Hydroptila eramosa Harper, Ochritricha cuenca Harper and Turcotte 1985, Oxyethira barstoni Harper, O. matadero Harper and Turcotte,

and *O. roberti* Harper and Roy (Trichoptera: Hydroptilidae); *Limnephilus nimmoi* Roy and Harper (Trichoptera: Limnephilidae); *Atopsyche cajas* Harper and Turcotte, *A. catherinae* Harper and Turcotte, *A. chirimachaya* Harper and Turcotte, *A. janethae* Harper and Turcotte (Trichoptera: Rhyacophilidae)). The Ouellet-Robert Entomological Collection houses secondary types for 101 species.

The Ouellet-Robert Entomological Collection in the digital age


Natural history collections have long been primary sources of research data for systematists, and technological advances are progressively enhancing the contributions of collections to the systematics disciplines (Wen et al. 2015). Collections are also increasingly relevant to comparatively new and emergent research fields such as global change (Kharouba et al. 2019), biodiversity (Meineke et al. 2019), conservation (Drew 2011), evolution (Holmes et al. 2016), and genomics (Buerki and Baker 2015). Despite their documented value (Suarez and Tsutsui 2004; Bradley et al. 2014), or perhaps rather because of it, collections face new resource-limited challenges in providing the services and data requested by the world's biological researchers; in addition to the traditional obligations of specimen curation and collection growth, natural history collections are called upon to make their specimen data available in electronic form (Council of Canadian Academies and Expert Panel on Biodiversity Science 2010; Kemp 2015; Schindel and Cook 2018).

The Ouellet-Robert Entomological Collection was late in adopting the informatics technology and modern curatorial practices that underpin much of the modern added value of a collection (Baird 2010; Beaman and Cellinese 2012). In 2012, the collection moved across town to new climate-controlled facilities at the Université de Montréal's Biodiversity Centre, located on the grounds of the Montreal Botanical Garden. Having also hired a new curator (Favret), it was an opportune moment for a thorough appraisal of the collection and for creating a vision of its future development. Up until recently, knowledge of the important holdings of the Ouellet-Robert Entomological Collection was either transferred from person to person or stored within the collection archives. Revitalising the collection and planning for its medium-term to long-term growth and improvement required an accurate understanding of its current status. In order to increase the profile and relevance of the Ouellet-Robert Entomological Collection to systematics and other disciplines, over the past 10 years, collection personnel have sought to acquire, assemble, and systematise electronically data useful both to potential users of the collection and for setting curatorial priorities. Specifically, we profiled the curatorial condition of the collection, inventoried its holdings, and digitised the specimen metadata of select taxa.

Collection profile

A collection profile is a quantitative assessment of the health of a natural history collection. The collection is evaluated in terms of the long-term conservation and stability of the specimens, their labels, and their containers, and the level of preparation, identification, and digitisation of the specimens. Profiling units are identified; in the case of entomological collections, these would typically be insect drawers, vial racks, and slide boxes. Once each profiling unit in the collection has been evaluated, curators have quantitative data with which to make informed decisions regarding the parts of the collection requiring attention. One of the first formal profiling systems, developed by the Department of Entomology at the United States National Museum of Natural History, graded each collection profiling unit on a single scale of 1-10 (McGinley 1993). Similar systems were developed specifically for vertebrate (Williams et al. 1996), paleontological (Adrain et al. 2006), slide (Neuhaus et al. 2017), and mammal collections (Rivera-León et al. 2018). In order to establish curatorial priorities across the multiple biological natural history collections at a single institution, the Illinois Natural History Survey (Champaign, Illinois, United States of America) developed a profiling system that parsed collection health into eight criteria (Favret et al. 2007): conservation status (the physical condition and long-term stability of the specimens), processing state (from unprepared bulk samples to fully curated specimens), container condition (e.g., the stability and

Fig. 1. Relative conservation status of parts of the pinned and enveloped (dry) and alcohol-preserved (wet) collection with more than 100 profiling units; in black, grey, and white, the proportion of profiling units scoring 1 (problematic), 2 (substandard), and 3 (acceptable), respectively.



fitness of unit trays or vial stoppers), condition of labels (*i.e.*, their legibility and permanence), identification level (unidentified or identified to order, family, genus, or species), arrangement level (e.g., mixed taxa or crowded specimens), data quality (presence of all pertinent data on labels), and computerisation level (no computerisation to fully databased specimen data). Most of these criteria are graded on a scale of 1-4: 1 problematic, generally requiring immediate attention; 2 - substandard, to be addressed when resources allow; 3 - acceptable, stable, and not requiring intervention; 4 - ideal, the best possible scenario. See Favret et al. (2007) for a full description of the profiling criteria and their respective scales.

We began by assigning unique identifiers to three kinds of profiling units – Cornell drawers, vial racks, and slide trays and boxes: identifiers were simple sequential numbers from 1–2962, irrespective of kind, taxonomy, or location. Secondly, in order in the future to be able to quickly find specific profiling units requiring attention, each was identified by kind and located in space by cabinet (1–200) and shelf number (1–24). For example, profiling unit 2285 is the 15th vial rack located on the 11th shelf in cabinet 193. Third, the profile was conducted using the aforementioned eight criteria, data being entered into the File-Maker Pro (Santa Clara, California, United States of America) database described by Favret *et al.* (2007). As we were examining the Cornell drawers, we took the opportunity to take an overhead photograph of each and upload it to the database. These photographs give us a quick view of approximately how many specimens and unit trays are in the drawer, how tightly packed the specimens are, and whether there are any anomalies (*e.g.*, envelopes or microscope slides in what is otherwise a drawer of pinned specimens, empty or non-standard unit trays).

The collection profile provides quantitative data to help inform curatorial priorities. Unsurprisingly, given the attention accorded to them by relatively recent personnel, the aquatic orders Ephemeroptera, Plecoptera, and Trichoptera are in excellent condition. Along most of the eight assessment criteria, the profiling units scored acceptably. Of note regarding the container condition are substandard hard-bottom unit trays in much of the pinned collection. The single most important criterion is conservation status, judging

	Number of species	Number of species from Québec	Number of dry specimens	Number of ethanol- preserved lots
Coleoptera	9519	3132	251 212	1370
Lepidoptera	3614	1234	35 001	521
Diptera	3235	2560	85 424	8416
Hemiptera	1569	957	52 438	1103
Hymenoptera	1379	1149	51 353	548
Trichoptera	530	395	1519	8254
Odonata	523	196	58 959	1161
Plecoptera	465	117	398	6691
Ephemeroptera	336	168	29	6490
All other orders	663	413	6419	3727
Total	21 833	10 321	542 752	38 281

Table 1. Summary of inventory: number of identified species and amount of preserved material of select orders.

the long-term safety of the specimens. Of serious concern is the condition of certain parts of the pinned collection, especially the Hemiptera (Fig. 1). The poor scores are largely due to specimens having become unglued from their points (Deans 2018). Meanwhile, most of the Odonata are contained in paper envelopes and thus not easily examined, and many of the alcohol-preserved Diptera are low on preservative; these two parts of the collection, therefore, received many substandard scores. Thanks to the profiling, we located the exact drawers, scattered in the collection, that contain unprocessed material (e.g., specimens in pill boxes), unit trays with mixed taxa, and unsorted or too-denselyarranged specimens. We upgraded the computerisation level of the entire collection by performing the inventory and the specimen label data capture (see below). The collection profile thus has provided us with specific action items for the contents of specific drawers and vial racks that we can prioritise as collection improvement progresses.

Collection inventory

Rather than focussing immediately on specimen-level data capture, a critical first step in collection computerisation would be an inventory of the holdings of the collection, that is, a simple list of the taxa in the collection, perhaps including the number of specimens and some indication of their geographic provenance. Such a list would inform potential users whether the collection holds specimens of interest and whether to request additional information, submit a loan request, or schedule a visit. An inventory also quantifies the taxonomic and geographic strengths of a collection and therefore helps curatorial staff decide which taxa should be targeted for specimen-level data capture.

We did not have the resources to perform particularly labour-intensive tasks such as updating the nomenclature of all the taxa or recording the full range of geographic provenance of the specimens. We therefore limited our taxonomic data to the names as found with the specimens and the geographic provenance of taxa to three hierarchical categories: "Québec" if at least one specimen of a taxon was collected in the province, "North America" if at least one specimen was collected on the continent (but not in Québec), and "exotic" for all others. For each taxon within each profiling unit, we counted the number of collection objects, that is, the number of insect pins, envelopes, pill boxes, alcohol vials, or microscope slides. We did not record the number of specimens associated with each collection object, although the vast majority of pins held a single specimen. Inventory data were added to a relational table in the same database used for profiling. These data are available for search and download as a spreadsheet-compatible Darwin Core archive (Wieczorek et al. 2012) at Canadensys.net: https://doi.org/10.5886/vehj9v.

The Ouellet-Robert Entomological Collection houses over 20 000 insect species, of which half include specimens from Québec (Table 1). This latter figure represents 62% of the 16 600 described species recorded from or probably residing in Québec (Loiselle and Francoeur 1992). There are 542 752 dry specimens in 1735 Cornell drawers identified at least to order on pins or in envelopes and pill boxes; 72% are identified to species level. A rough subsampling of the vials provided a conservative estimate of 25 specimens per vial, although this number varies greatly by taxon and processing state (e.g., a thousand bulksampled larvae versus a single holotype). The 38 281 vials in 1198 vial racks in the collection give us a rough estimate of 957 025 alcoholpreserved specimens. Therefore, omitting backlogged material not identified at least to the ordinal level, the collection houses approximately 1.5 million specimens, of which roughly one-third consists of pinned material. The microscope slide collection is negligible, although the aphid collection is growing quickly per Favret's taxonomic expertise.

Specimen digitisation

Because collections are arranged taxonomically, they are predisposed to be used by their traditional clientele, taxonomists. However, rather than seeking the geographic or temporal provenance of specific taxa, non-traditional users in conservation biology, ecology, and other fields might prefer to see the list of taxa from a specific locale, time period, or host plant, for example. These specimen metadata, data normally found on specimen labels, can only be made available and analysed by computerising them (Shaffer et al. 1998; Baird 2010). Although the value of specimen metadata is well known (Favret and Dewalt 2002; Scoble 2010; Smith and Blagoderov 2012; Meineke et al. 2019), due to their sheer size in terms of number of specimens and taxa, entomological collections lag far behind vertebrate collections and herbaria in their level of computerisation (Constable et al. 2010; Sikes et al. 2016; Sweeney et al. 2018).

As part of the initial funding for Canadensys.net, a network of Canadian collections and collections-based researchers serving organismal occurrence data (namely museum specimen data) on the Internet, selected taxonomic strengths of the Ouellet-Robert Entomological Collection were targeted for specimen-level metadata capture. One exceptional strength made evident by our inventory is the Odonata collection, including 33 123 museum objects (envelopes, pins, and vials) representing some 60 000 specimens. The label data associated with the Odonata museum objects were electronically recorded in another FileMaker Pro relational database, each object being given a unique identifier label. The taxonomic nomenclature was updated using recent checklists (Garrison and von Ellenrieder 2016; Paulson and Dunkle 2018; Savard 2018). North American collection geoposition coordinates were found retrospectively using the Canada Geographical Names Database at Natural Resources Canada and the Geographic Names Information System at the United States Geological Survey. The other aquatic taxa targeted for specimen-level databasing were the Ephemeroptera (7062 records) and Trichoptera (8844 records). All Ouellet-Robert Entomological Collection specimen-level data are available at Canadensys.net: https://doi.org/10.5886/qwvt63fz.

Perspectives

The results of the data capture presented here provide us the information needed to map the way forward. Along with assuring healthy collection growth, the priority clearly is to stabilise and upgrade the problematic parts of the collection, for example, by replacing hardbottom unit trays and securing specimens fallen from point mounts. As the value of a collection is entirely based on its active use, it is hoped that the inventory will inform interested parties of the collection holdings and stimulate inquiries, loan requests, and visits. The profile and online inventory will be updated as various sections of the collection are re-curated and as new material is added. Likewise, the Odonata data should prove useful to a number of researchers, and we hope their use will help us secure funding to extend specimen digitising to other parts of the collection. The Odonata specimen label data of six other insect collections in Québec have recently been digitised, complementing the Ouellet-Robert Entomological Collection dataset.

In addition to providing collection data to external parties, we are also stimulating local interest in the collection. Natural history

Downloaded from https://www.cambridge.org/core. Montpellier SupAgro, on 23 Jul 2019 at 12:20:47, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.4039/tce.2019.34

collections are unique educational resources (Cook et al. 2014) and venues for public engagement (Ballard et al. 2017). Students from the entomology and insect systematics courses taught at the Université de Montréal contribute to the collection as part of their course activities; a student-led natural history collection club (Gerdes et al. 2017), "Club QMOR", participates in collection curation on a biweekly basis; a Facebook page and blog (where entomology students publish species pages: http://qmor.umontreal.ca) maintain a social media presence for the collection. An upcoming guidebook to the insects of Québec includes 2300 species, almost all of which are presented with high-quality photographs of Ouellet-Robert Entomological Collection specimens. Having gone through three phases of development, collecting the initial bulk of specimens (1930–1964), the integration of the Ouellet, Robert, and other collections and the official inauguration of the Ouellet-Robert Entomological Collection (1965-1984), and the physical growth, curatorial improvement, and move to new facilities (1985-2012), the Ouellet-Robert Entomological Collection has now entered into a new phase of electronic data capture and dissemination and increased activity.

Acknowledgements

We express our heartfelt thanks and recognition to the former curator, the late Pierre-Paul Harper, deceased as this article went to press and in whose memory we dedicate it, for help with the historical narrative of the collection and especially for his tireless devotion to the Ouellet-Robert Entomological Collection over many years.

The authors are the Ouellet-Robert Entomological Collection's current curator (C.F.), current collection manager (É.N.; e-mail: qmor. umontreal@gmail.com), and former collection manager (L.C.). Undergraduate student collection workers executed the profiling and inventory work: Marie-Ève Garon-Labrecque, Chloé Jeyadarshan Jeyabalaratnam, Laubu, Paul Mayrand, and Élise St-Pierre. Volunteer Joanie Guillemet extracted metadata from the inventory/ profile database. Canadensys personnel Bénédicte Rivière and Carole Sinou uploaded and cross-checked the Ouellet-Robert Entomological Collection inventory online data. Funding for the activities described herein was provided by the University of Montréal Department of Biological Sciences, and Canadensys funding to Anne Bruneau and colleagues from the Canada Foundation for Innovation.

References

- Adrain, T.S., Lewis, D.N., and Horton, M.M. 2006. Improving curation standards in paleontology collections through the application of "McGinley levels". Collection Forum, **21**: 19–32.
- Baird, R.C. 2010. Leveraging the fullest potential of scientific collections through digitization. Biodiversity Informatics, 7: 130–136.
- Ballard, H.L., Robinson, L.D., Young, A.N., Pauly, G.B., Higgins, L.M., Johnson, R.F., and Tweddle, J.C. 2017. Contributions to conservation outcomes by natural history museum-led citizen science: examining evidence and next steps. Biological Conservation, 208: 87–97.
- Beaman, R. and Cellinese, N. 2012. Mass digitization of scientific collections: new opportunities to transform the use of biological specimens and underwrite biodiversity science. ZooKeys, 209: 7–17.
- Bonneau, G. 1999. Joseph Ouellet c.s.v.– sa vie son oeuvre– pionnier de l'enseignement de l'entomologie à l'Université de Montréal. Antennae: Bulletin de la Société d'entomologie du Québec, 6: 12–16.
- Bradley, R.D., Bradley, L.C., Garner, H.J., and Baker, R.J. 2014. Assessing the value of natural history collections and addressing issues regarding longterm growth and care. BioScience, 64: 1150–1158.
- Buerki, S. and Baker, W.J. 2015. Collections-based research in the genomic era. Biological Journal of the Linnean Society, **117**: 5–10.
- Chagnon, G. and Robert, A. 1962. Principaux coléoptères de la province de Québec, deuxième édition. Les Presses de l'Université de Montréal, Montréal, Québec, Canada.
- Constable, H., Guralnick, R., Wieczorek, J., Spencer, C., Peterson, A.T., and The VertNet Steering Committee. 2010. VertNet: a new model for biodiversity data sharing. Public Library of Science Biology, 8: e1000309.
- Cook, J.A., Edwards, S.V., Lacey, E.A., Guralnick, R.P., Soltis, P.S., Soltis, D.E., *et al.* 2014. Natural history collections as emerging resources for innovative education. BioScience, 64: 725–734.
- Council of Canadian Academies and Expert Panel on Biodiversity Science. 2010. Canadian taxonomy: exploring biodiversity, creating opportunity. Council of Canadian Academies, Ottawa, Ontario, Canada.

- Deans, A.R. 2018. A review of adhesives for entomotaxy. PeerJ Preprints, 6: e27184v1.
- de Oliveira, D.D. 2008. Pierre-Paul Harper, à la recherche du savoir pour mieux l'enseigner. Antennae: Bulletin de la Société d'entomologie du Québec, **15**: 11.
- Drew, J. 2011. The role of natural history institutions and bioinformatics in conservation biology. Conservation Biology, **25**: 1250–1252.
- Duhaime, É. 1997. Le projet archipel: historique et évaluation des fondements théoriques. Canadian Journal of Regional Science, **20**: 351–365.
- Dulude, Y. 1992. Les éphémères du pêcheur québécois. Éditions de l'Homme, Montréal, Québec, Canada.
- Evenhuis, N.L. 2018. The insect and spider collections of the world website. Available from http://hbs.bishop museum.org/codens [accessed 14 April 2019].
- Favret, C., Cummings, K.S., McGinley, R.J., Heske, E.J., Johnson, K.P., Phillips, C.A., *et al.* 2007. Profiling natural history collections: a method for quantitative and comparative health assessment. Collection Forum, **22**: 53–65.
- Favret, C. and Dewalt, R.E. 2002. Comparing the Ephemeroptera and Plecoptera specimen databases at the Illinois Natural History Survey and using them to document changes in the Illinois fauna. Annals of the Entomological Society of America, 95: 35–40.
- Garrison, R. and von Ellenrieder, N. 2016. A synonymic list of the New World Odonata. Odonata-Central: an online resource for the distribution and identification of Odonata. Available from www.odonatacentral.org/docs/NWOL.pdf [accessed 14 April 2019].
- Gerdes, C., Harris, K.M., Beas-Moix, M., and Marsico, T.D. 2017. The transformative power of student-led natural history collections clubs. Collection Forum, 31: 70–83.
- Harper, P.P. 1999. Dr Jean-Guy Pilon, trente ans de passion pour les Odonates. Antennae: Bulletin de la Société d'entomologie du Québec, 2: 14–17.
- Harper, P.P. and Cloutier, L. 1986. Spatial structure of the insect community of a small dimictic lake in the Laurentians (Québec). Internationale Revue der gesamten Hydrobiologie und Hydrographie, 71: 655–685.
- Hayeur, G. 2001. Synthèse des connaissances environnementales acquises en milieu nordique de 1970 à 2000. Hydro-Québec, Montréal, Québec, Canada.
- Holmes, M.W., Hammond, T.T., Wogan, G.O.U., Walsh, R.E., LaBarbera, K., Wommack, E.A., *et al.* 2016. Natural history collections as windows on evolutionary processes. Molecular Ecology, 25: 864–881.
- Hynes, H.B.N. 1971. The ecology of running waters. University of Toronto Press, Toronto, Ontario, Canada.
- Hynes, H.B.N. 1976. Biology of Plecoptera. Annual Review of Entomology, **21**: 135–153.
- Jean, C. 2009. Gustave Chagnon (1871–1966): une carrière tardive en entomologie. Antennae: Bulletin de la Société d'entomologie du Québec, **16**: 10–12.

- Kemp, C. 2015. The endangered dead. Nature, **518**: 292–294.
- Kharouba, H.M., Lewthwaite, J.M.M., Guralnick, R., Kerr, J.T., and Vellend, M. 2019. Using insect natural history collections to study global change impacts: challenges and opportunities. Philosophical Transactions of the Royal Society B: Biological Sciences, **374**: 20170405.
- Leroux, E.J. 1964. Adrien Robert c.s.v., 1906–1964. Annales de la Société entomologique du Québec, 9: 11–13.
- Lesage, L. and Harper, P.P. 1976. Cycles biologiques d'Elmidae (Coléoptères) de ruisseaux des Laurentides, Québec. Annales de Limnologie, **12**: 139–174.
- Loiselle, R. and Francoeur, A. 1992. Diversité et classification des insectes et autres hexapodes. Entomofaune du Québec, Document Technique, **6**: 1–64.
- McGinley, R.J. 1993. Where's the management in collections management? Planning for improved care, greater use, and growth of collections. *In* Congreso Mundial Sobre Preservación y Conservación de Colecciones de Historia Natural. Volume 3. Temas de Actualidad, Iniciativas y Direcciones Futuras Sobre Preservación y Conservación de Colecciones de Historia Natural. *Edited by* C.L. Rose, S.L. Williams, and J. Gisbert. Dirección General de Bellas Artes y Archivos, Madrid, Spain. Pp. 309–338.
- Meineke, E.K., Davies, T.J., Daru, B.H., and Davis, C.C. 2019. Biological collections for understanding biodiversity in the Anthropocene. Philosophical Transactions of the Royal Society B: Biological Sciences, **374**: 20170386.
- Neuhaus, B., Schmid, T., and Riedel, J. 2017. Collection management and study of microscope slides: storage, profiling, deterioration, restoration procedures, and general recommendations. Zootaxa, 4322: 1–173.
- Ouellet, J. 1941. Additions au catalogue des diptères du Québec. Naturaliste Canadien, **68**: 121–141.
- Paulson, D.R. and Dunkle, S.W. 2018. A checklist of North American Odonata including English name, etymology, type locality, and distribution. Odonata-Central: an online resource for the distribution and identification of Odonata. Available from www.odonatacentral.org/docs/NA_Odonata_Check list.pdf [accessed 14 April 2019].
- Pilon, J.G. and Lagacé, D. 1998. Les odonates du Québec. Entomofaune du Québec, Chicoutimi, Québec, Canada.
- Rivera-León, V.E., Hortelano-Moncada, Y., and Cervantes, F.A. 2018. Health level of a mammal collection. Revista Mexicana de Biodiversidad, 89: 402–411.
- Robert, A. 1952. Brother Joseph Ouellet and his works. Annuaire de la congrégation des clercs de Saint-Viateur, **1952**: 56–65.
- Robert, A. 1963. Les libellules du Québec. Station biologique du Mont Tremblant, Service de la recherche, Ministère de la chasse et des pêcheries, Ville de Québec, Québec, Canada.

© Entomological Society of Canada 2019

Downloaded from https://www.cambridge.org/core. Montpellier SupAgro, on 23 Jul 2019 at 12:20:47, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.4039/tce.2019.34

- Savard, M. 2018. Liste des 150 espèces de libellules (Odonates) inventoriées au Québec. Entomofaune du Québec. Available from http:// entomofaune.qc.ca/entomofaune/odonates/ Odonates-Docs/Liste_odonates_7_janvier_2018.pdf [accessed 14 April 2019].
- Schindel, D.E. and Cook, J.A. 2018. The next generation of natural history collections. Public Library of Science Biology, 16: e2006125.
- Scoble, M. 2010. Rationale and value of natural history collections digitisation. Biodiversity Informatics, 7: 77–80.
- Shaffer, H.B., Fisher, R.N., and Davidson, C. 1998. The role of natural history collections in documenting species declines. Trends in Ecology & Evolution, 13: 27–30.
- Sikes, D.S., Copas, K., Hirsch, T., Longino, J.T., and Schigel, D. 2016. On natural history collections, digitized and not: a response to Ferro and Flick. ZooKeys, 618: 145–158.
- Smith, V. and Blagoderov, V. 2012. Bringing collections out of the dark. ZooKeys, 209: 1–6.

- Suarez, A.V. and Tsutsui, N.D. 2004. The value of museum collections for research and society. Bio-Science, 54: 66–74.
- Sweeney, P.W., Starly, B., Morris, P.J., Xu, Y., Jones, A., Radhakrishnan, S., *et al.* 2018. Large-scale digitization of herbarium specimens: development and usage of an automated, high-throughput conveyor system. Taxon, **67**: 165–178.
- Wen, J., Ickert-Bond, S.M., Appelhans, M.S., Dorr, L.J., and Funk, V.A. 2015. Collections-based systematics: opportunities and outlook for 2050. Journal of Systematics and Evolution, 53: 477–488.
- Wieczorek, J., Bloom, D., Guralnick, R., Blum, S., Döring, M., Giovanni, R., *et al.* 2012. Darwin Core: an evolving community-developed biodiversity data standard. Public Library of Science One, 7: e29715.
- Williams, S.L., Monk, R.R., and Arroyo-Cabrales, J. 1996. Applying McGinley's model for collection assessment to collections of recent vertebrates. Collection Forum, **12**: 21–35.